

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L34	4877	(internet near4 (fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:02
L35	5	34 and (((multiple or plural\$5) near4 display) same ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:09
L37	5	34 and (((multiple or plural\$5 or dual\$3) near4 display) same ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:12
L38	1	34 and ((adjacent) near4 display) same ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:13
L39	4	34 and ((adjacent) near4 display) and ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:14
L40	109	34 and ((two or "2" or dual\$5 or multiple or plural\$5 or multi\$5) near4 display) and ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:22
L41	29	40 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:23
L42	10	41 and ((register\$5 or stor\$3) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:23
L43	127	34 and ((two or "2" or dual\$5 or multiple or plural\$5 or multi\$5 or adjacent or double or second or neighbor\$5) near4 display) and ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:29
L44	33	43 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:24

L45	11	44 and ((register\$5 or stor\$3) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:23
L46	11	34 and (display\$5 near4 ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address)) same (display\$5 near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:38
L47	1	34 and (display\$5 near4 ((input\$5 or enter\$5 or key\$5 or typ\$5) near4 address)) and (((separate or second or another or independent) near3 display\$5) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:39
L48	1	34 and (display\$5 near4 ((input\$5 or enter\$5 or key\$5 or typ\$5))) and (((separate or second or another or independent) near3 display\$5) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:40
L49	1	(internet near4 (fax or facsimile)) and (display\$5 near4 ((input\$5 or enter\$5 or key\$5 or typ\$5))) and (((separate or second or another or independent) near3 display\$5) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:41
L50	9	(internet near4 (fax or facsimile or communication)) and (display\$5 near4 ((input\$5 or enter\$5 or key\$5 or typ\$5))) and (((separate or second or another or independent) near3 display\$5) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:42
L51	83	((fax or facsimile or communication)) and (display\$5 near4 ((input\$5 or enter\$5 or key\$5 or typ\$5))) and (((separate or second or another or independent) near3 display\$5) near4 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:43
L52	10	51 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:44
L53	0	(input\$5 with ((e-mail or email or (e adj3 mail) or (electronic adj2 mail)) near4 address)) same auto-complet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:46
L54	2626	(input\$5 with ((e-mail or email or (e adj3 mail) or (electronic adj2 mail)) near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:46

L55	144	54 and (((auto adj3 complet\$5) or complet\$5) near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:46
L56	45	55 and ((second or dual\$3 or "2" or two or adjacent) near4 display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:35
L57	4	56 and (partial\$5 near4 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 14:47
L58	0	"6829607".pn. and ((stor\$5 or register\$5) near4 (domain))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:15
L59	0	"6829607".pn. and ((stor\$5 or register\$5) near4 (destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:49
L60	1	"6829607".pn. and (domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:10
L61	1	"6813036".pn. and (input\$5 with (character or string))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:37
L62	0	"6813036".pn. and (register\$5 with destinat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:38
L63	1	"6813036".pn. and (register\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:38
L64	0	"6829607".pn. and ((stor\$5 or register\$5) near4 (destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:49
L65	2	"6829607".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:06

L66	1	"6813036".pn. and (display\$5 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:37
L67	0	"6829607".pn. and (concat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:15
L68	0	"6829607".pn. and (attach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:15
L69	1	"6829607".pn. and (connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:16
L70	1	"6829607".pn. and (domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:18
L71	1	"6829607".pn. and ((select\$5 or choos\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:28
L72	1	"6829607".pn. and ((select\$5 or choos\$5) with match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:33
L73	1	"964748".ap. and (domain with again with display\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:34
L74	3	"6813036".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:43
L75	1	"6829607".pn. and (select\$5 same arrow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:44
L76	0	"6829607".pn. and (mistake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:44

L77	0	"6829607".pn. and (erron\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:44
L78	1	"6829607".pn. and (error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:02
L79	1	"6829607".pn. and (arrow with select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:23
L80	2	"6167469".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:23
L81	5	"6167469".pn. "6813036".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:25
L82	0	81 and (one adj2 touch adj4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:24
L83	0	81 and (one-touch adj4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:24
L84	0	81 and (one-touch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:26
L85	2	81 and (address with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:28
L86	1	"6545768".pn. and (one-touch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:40
L87	0	"6545768".pn. and (speed near3 dial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	73173	(internet near6 (fax or facsimile or communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 11:31
L9	9	8 and (((input\$5 or enter\$5) near6 (character or string) near6 address) same ((display\$5 or retriev\$5 or load\$5 or show\$5 or inform\$5) near4 destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 11:40
L10	64	8 and (((input\$5 or enter\$5) near6 (character or string) near6 address) and ((display\$5 or retriev\$5 or load\$5 or show\$5 or inform\$5) near4 destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:05
L11	200	8 and ((input\$5 or enter\$5) near6 (character or string) near6 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:05
L12	122	8 and ((input\$5 or enter\$5) near6 (character or string) same ((email or e-mail) near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:20
L13	58	12 and ((display\$5 or retriev\$5 or load\$5 or show\$5 or inform\$3) near4 (destination or address or ((email or e-mail) near3 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:20
L14	27	13 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:23
L15	3	13 and (destination near5 register\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:19
L16	5	12 and (destination near5 register\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:19
L17	239	8 and ((input\$5 or enter\$5 or key\$5 or typ\$5) near6 (character or string or alphabet\$6) same ((email or e-mail) near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:54
L18	120	17 and ((display\$5 or retriev\$5 or load\$5 or show\$5 or inform\$3) near4 (destination or address or ((email or e-mail) near3 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:55

L19	31	18 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:56
L20	7531	8 and ((input\$5 or enter\$5 or key\$5 or typ\$5) near6 ((character or string or alphabet\$6) or (partial near4 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:56
L21	1721	20 and ((display\$5 or retriev\$5 or load\$5 or show\$5 or inform\$3) near4 (destination or address or ((email or e-mail) near3 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:57
L22	111	21 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:56
L23	19	8 and ((input\$5 or enter\$5 or key\$5 or typ\$5) near6 ((partial near4 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 12:56
L24	14	23 and ((display\$5 or retriev\$5 or load\$5 or show\$5 or inform\$3) near4 (destination or address or ((email or e-mail) near3 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 13:12